

IN THE CLAIMS

Please amend claims 1, 2, 4, and 5 and add claims 6 – 14 as follows:

1. (CURRENTLY AMENDED) A low mount seat guide loop for holding a seatbelt restraint of a vehicle seat, said low mount seat guide loop in a motor vehicle comprising:
a strap adapted for attachment to said seat such that the seatbelt restraint can be disposed between said strap and the vehicle seat; and
a seatbelt restrain system.
2. (CURRENTLY AMENDED) [[A]] The low mount seat guide loop as set forth in claim 1, wherein said strap further comprising fabric and an elastic extension and is positioned on the side of said seat in a location accessed by said seatbelt restraint system; said strap further comprises further comprising at least one a-snap for attaching positioning said strap to the vehicle seat of said seatbelt restraint system.
3. (ORIGINAL) The low mount seat guide loop as in claim 2, wherein said snap further comprises a magnet.
4. (CURRENTLY AMENDED) The low mount seat guide loop as in claim [[2]] 1, wherein said strap is adapted to be disposed in an extended position, in which said strap extends over the seatbelt restraint to hold the seatbelt restraint, and a retracted position, in which the seatbelt restraint can be removed from between said strap and the vehicle seat with snap is extended and snapped into a predetermined position to hold said seatbelt restraint system.

5. (CURRENTLY AMENDED) The low mount seat guide loop as in claim ~~[[2]]~~ 4, further comprising at least one snap, and wherein said strap is adapted to be attached to the vehicle seat via said snap when said strap is in the retracted position and in the extended position with snap ~~is retracted and snapped into a predetermined position when said seatbelt restraint system is not held.~~

6. (NEW) The low mount seat guide loop as set forth in claim 1, wherein said strap includes an elastic portion.

7. (NEW) The low mount seat guide loop as set forth in claim 1, further comprising a pocket into which said strap can be tucked.

8. (NEW) A vehicle seat assembly comprising:
a seatbelt restraint;
a cushion; and
a strap adapted to be connected to said cushion and adapted to hold said seatbelt restraint by disposing said seatbelt restraint between said cushion and said strap.

9. (NEW) The vehicle seat assembly as set forth in claim 8 further comprising at least one snap for fixing said strap relative to said cushion.

10. (NEW) The vehicle seat assembly as set forth in claim 9, wherein said snap further comprises a magnet.

11. (NEW) The vehicle seat assembly as set forth in claim 8, wherein said strap is adapted to be positioned in an extended position, in which said strap extends over said seatbelt restraint to hold the seatbelt restraint, and a retracted position, in which said seatbelt restraint can be removed from between said cushion and said strap.

12. (NEW) The vehicle seat assembly as set forth in claim 11, further comprising at least one snap, and wherein said strap is adapted to be fixed relative to said cushion via said snap when said strap is in the retracted position and in the extended position.

13. (NEW) The vehicle seat assembly as set forth in claim 8, wherein said strap includes an elastic portion.

14. (NEW) The low mount seat guide loop as set forth in claim 1, further comprising a pocket into which said strap can be tucked.